# Specialty Compactors



Solid Waste & Recycling Equipment















"Equipping The World For A Better Environment"

## **Features**

 Our Cram-A-Lot specialty compactors are designed specifically for facilities to save space where overall space utilization is critical.

### THESE POWERFUL UNITS ARE IDEAL FOR:

- Facilities with limited floor space
- Warehouses
- High-Rise Apartments
- Hotels, Offices & Hospitals
- Or anywhere else trash space is very limited

### **DESIGNED FOR:**

- Ease of Installation
- Ease of Operation
- Ease of Maintenance

### X-PRESS PACK

Portable Liquid Tight Self-Contained Unit

Ease of usage makes it a perfect portable trash compactor ready to use and requires no additional sight prep such as concrete pad, anchors or channel guides.

### VERTICAL COMPACTOR

Small Footprint, Frontload service

This compact liquid tight compactor/container is designed to eliminate the need for multiple front load containers. Loading capabilities from the ground, off a dock, or through the wall with optional chute fed systems available.

### APARTMENT COMPACTOR

Extra Tight Space Problems

Designed to solve those extra tight space problems, the apartment compactor packs into a 2yd or 3yd front load or rear load container. These units can be equipped with high-rise chute hoppers, ground feed hoppers, and any other special installation solution requirement.

### CS-01 & CS-02

Limited volume applications

For restrictive applications, we offer a 1 or 2 yard short version of our standard commercial compactor.











# Installed Applications

















## The C5 series C5-02 saves up to 1/3 in space & accommodates up to a 40 yard receiver

### **FEATURES**

- Total unit UL/CUL listed
- Remote Power Unit
- Large Charge Opening
- Low loading height for easily loading
- Optional chute fed systems available
- Fully (UHMW) guided & supported ram
- ANSI Z245.21 Compliant

This compact unit offers the same 2 yd chamber as a standard size compactor but in a more compact size for space limitations. Designed to offer the same benefits of a larger unit with it's optional chute fed or hopper fed system.



- Rugged Construction provides long life
- Compaction ratios average 4 to 1 depending on material
- Excellent Compaction of dry trash
- Ideal for Commercial or Industrial applications, Shopping Centers, Schools

### LOADING CAPABILITIES

Load from ground, off a dock, or through the wall

### **USER FRIENDLY**

 CS-02 Allows 2yd compaction and 40yd capacity when the need for volume is required in tight spaces.


#### **SAFETY**

- Door Safety Interlock
  - Removable key for authorized operator usage









## **Specifications**

GENERAL:		
Dimensions	Length	81-1/2
	Width	73-1/2

Height 59" 45" L x 58" W

Load Height 51"

----

 Cycle Time
 37 seconds

 Ram Force
 Normal
 42,700 lbs

Ram Penetration Maximum 51,300 lbs 7 -1/2"

Ram Face Dimensions 60" W x 28 -11/16" H Weight 4000 lbs

WASTEC Rated 4000 lbs
1.56 CU YDS

CONSTRUCTION:

Presshead

Clear Top Opening

Chassis Floor 1/2" Steel Plate

4" C-Channel Sides 3/16" Steel Plate

2" x 6" x 3/16" Steel Tube

4" C-Channel Top 3/16" Steel Plate

Sides 1/4" Steel Plate Face 1/2" Steel Plate Bottom 1/2" AR Steel Plate

Guides UHMW guide & support Breaker Bar 6" x 6" x 1" Steel Angle ELECTRICAL:

Motor 10 hp Voltage 208 -230/460 VAC 60 Hz Three Phase

HYDRAULIC:

 Pump Type
 Vane

 Pump Capacity
 10.5 gpm

 Tank Capacity
 22 gal

 Hydraulic Cylinder(2)
 Bore
 4"

Bore 4" Stroke 34 Rod 2"

Operating Pressure Normal 2,000 psi Maximum 2,400 psi





### Leasing and Rental Programs Available

Compactor Units can be custom designed and factory installed to suit your special applications

### Cram-A-Lot 1-2-3 Warranty

J.V. Manufacturing will furnish without charge:

1) All parts and labor expenses through the first year of ownership to remedy any faults proven to be the result of defective materials or workmanship.

2) All parts through the second year of ownership to remedy any faults proven to be the result of defective materials or workmanship.

3) All labor expenses through the third year of ownership to remedy any structural faults proven to be the result of defective materials or workmanship. This warranty does not apply to any damage caused by negligence, misuse, modifications, alterations, or accidents by purchaser or third parties. Refer to operation manual for specific warranty coverage.

#### CORPORATE OFFICE

DISTRIBUTED BY:

P.O. Box 229 701 Butterfield Coach Road Springdale, AR 72765 1-800-678-7320 479-751-7320 479-751-7774 (fax)